- 1. (Currently Amended) A device for detecting a cellular metabolic process associated with a cell by detecting a luminescence event in, at, or in the immediate vicinity of the cell, the device comprising:
 - a carrier element with a surface prepared for coupling of the cell thereto;
- a detector for receiving a luminescence signal indicative of the luminescent event, where the detector is integrated into the carrier element below the prepared surface;
- a cover covering the prepared surface to form a cavity, the cover having an inlet and an outlet; and

one of a biological cell metabolizing metabolically-influencing cell excitation reservoir source and a chemical cell metabolizing excitation source connected to the inlet and containing accepting a biological or chemical excitation medium that includes a luminophore, where the excitation medium influences the metabolism of the cell during excitation thereof by the medium, and where the luminophore reacts with a metabolic product of the cell during the excitation thereof to thereby provide the luminescence signal.

- 2. (Previously Presented) The device of claim 1, further comprising an optical filter located between the prepared surface and the optical detector.
- 3. (Previously Presented) The device of claim 1, where the carrier element is a semiconductor body.
- 4. (Previously Presented) The device of claim 1, where a plurality of optical detectors are integrated into the carrier element below the prepared surface.

- 5. (Previously Presented) The device of claim 1, where the optical detector comprises a photodiode.
- 6. (Previously Presented) The device of claim 1, further comprising an evaluation circuit connected to the detector.
- 7. (Currently Amended) The device of claim 1, further comprising an the-evaluation circuit integrated into the carrier element.
- 8. (Currently Amended) The device of claim 1, further comprising an evaluation circuit that controls the excitation <u>reservoir source</u> to send the chemical or biological excitation medium to the inlet opening.
- 9. (Currently Amended) The device of claim 1, further comprising a valve disposed in an inlet line between the excitation <u>reservoir source</u> and the inlet to control a supply of the excitation medium to the inlet.
- 10. (Previously Presented) The device of claim 1, where the prepared surface includes an adhesion matrix and/or a growth substrate for the cell coupled thereto.
- 11. (Previously Presented) The device of claim 10, where the growth substrate comprises gelatin.

- 12. (Previously Presented) The device of claim 1, where the prepared surface has a cell-immobilizing medium applied thereto.
- 13. (Previously Presented) The device of claim 12, where the cell-immobilizing medium comprises negatively charged polystyrene.
- 14. (Previously Presented) The device of claim 1, where cell is immobilized at the prepared surface.
- 15. (Previously Presented) The device of claim 1, where a depression is created in at least a portion of the prepared surface.
- 16. (Cancelled)
- 17. (Cancelled)
- 18. (Currently Amended) A device for detecting a cellular metabolic process associated with a cell by detecting a luminescence event in, at, or in the immediate vicinity of the cell, the device comprising:
 - a semiconductive device with a surface prepared for coupling of the cell thereto;
- a detector for providing a luminescence signal indicative of the luminescent event, where the detector is integrated into the semiconductive device below the cell;

a cover that covers the prepared surface to form a cavity, the cover having an inlet and an outlet; and

one of a biological cell metabolizing metabolically-influencing cell excitation reservoir source and a chemical cell metabolizing excitation source that provides to the cavity via the inlet a biological or chemical excitation medium that includes a luminophore, where the excitation medium influences the metabolism of the cell during excitation thereof by the medium, and where the luminophore reacts with a metabolic product of the cell during the excitation thereof to provide luminescence detected by the detector.

- 19.(Previously Presented) The device of claim 18, further comprising an optical filter located between the prepared surface and the optical detector, and where a plurality of optical detectors are integrated into the semiconductive substrate below the prepared surface.
- 20. (Currently Amended) The device of claim 18, further comprising an evaluation circuit semiconductive that controls the excitation <u>reservoir source</u> to send the chemical or biological excitation medium to the inlet opening.
- 21. (Previously Presented) The device of claim 18, where the prepared surface has a cell-immobilizing medium applied thereto.
- 22. (Currently Amended) A device for detecting a cellular metabolic process associated with a cell by detecting a luminescence event, the device comprising:

a semiconductive device with a surface prepared with a cell-immobilizing medium for coupling and immobilizing of the cell thereto;

a detector for providing a luminescence signal indicative of the luminescent event, where the detector is integrated into the semiconductive device below the cell and prepared surface;

a housing that in cooperation with the prepared surface forms a cavity having an inlet and an outlet; and

one of a biological cell metabolizing metabolically-influencing cell excitation reservoir source and a chemical cell metabolizing excitation source that provides to the cavity via the inlet a biological or chemical excitation medium that includes a luminophore, where the excitation medium influences the metabolism of the cell and the luminophore reacts with a metabolic product of the cell to provide luminescence detected by the detector.